





DS SERIES CATALOGUE

LATEST EDITION



DS-12



Available in any colour and finish you like, the DS-12 is designed to not only be pleasing to the eye but also to the ear. The horn loaded, high power DS-12 is primarily designed for installations, especially clubs/discos, is bi-amplified and can also be manufactured as a self-powered version to deliver all the features such as FIR that Lynx Pro audio electronics deliver.

It uses an exponential 12" Driver (64mm aluminium voice coil) for the low/mid and the high frequencies are looked after by a 1.4" neodymium compression driver with titanium diaphragm and mylar surround. The special GFK/Sandwich horn delivers $60^{\circ} \times 40^{\circ}$ coverage.

Components	LF/MF 1 x 12" + 1.4" titanium diaphragm HF driver
Max SPL	127 dB / 133 dB peak
Coverage	60°Hx40°V
Power	Low/Mid: 500 W (1000 W program), High: 60 W (120 W program)
Crossover	1450 Hz
Dimensions	649×499×482mm (H×W×D)
Weight	32 Kg (70 lbs)
Finish	Different colours (RAL) and finishing options

DS-18S



The DS-18S is an extremelly high power subwoofer cabinet providing exceptional low frequency reinforcement for the DS-12. It uses one 18" (4" DUO voice coil) transducer with aluminium demodulating ring in direct radiation bass reflex configuration. Manufactured as standard with premium birch plywood and finished with polyurea coating it can also be manufactured in any colour or finish to compliment any install design.

Components	LF: 1 x 18"
Max SPL	130 dB / 136 dB peak
Coverage	360° single unit
Power	1000 W (2000 W program)
Dimensions	639×585×733 mm (H×W×D)
Weight	42 Kg (92 lbs)
Finish	Different colours (RAL) and finishing options

