


CULTURE OF SOUND



# **QB SERIES CATALOGUE**

**LATEST EDITION** 



## **QB Series**

#### **BACKGROUND SOUND**

The QB series comprises one two-way, passive full range cabinet and one subwoofer and is the smallest series that Lynx Pro Audio offers, designed and intended for background sound reinforcement where the power of the HR or BS series is not required.

The components have been carefully selected to offer a lightweight, versatile series, delivering a linear phase response with excellent sound distribution and fidelity for background installations in bars, restaurants, conferences, etc.

Both cabinets are finished in rugged, premium birch plywood with a polyurea coating.

The QB-5 is protected by front steel grills and backed with a special dark grey triple layer, acoustical textile which allows greater air flow and reduces heat and humidity.

- Club & bar installations
- Theatres
- Restaurants
- Multimedia spaces
- Houses of worship
- Broadcast & conferences

### **QB-5**



The QB-5 is a two-way versatile, ultracompact light weight, passive cabinet offering high-performance for background sound applications.

It features a 5" low/mid transducer with rubber surround and a 1" neodymium tweeter with micro foil diaphragm.

It is made from 9 mm premium birch plywood and coated with water based paint.

Components	LF: 1 x 5" transducer / HF 1 x 1" tweeter
Max SPL	107 dB - 113 dB Peak
Coverage	90° H x 90° V conic
Power	80 W (160 W program)
Crossover	4700 Hz
Dimensions	254 x 167 x 186 mm (H x W x D)
Weight	3 Kg (6.6 lbs)

## **SUB-08**



The SUB-08 is an ultra compact double band pass subwoofer delivering highperformance for background sound applications. It uses one 8" transducer with rubber surround and double independent coil.

The SUB-08 has been designed to be used with the QB-5 to extend the low frequency support.

Components	LF: 1 x 8" transducer (2 x 50 mm voice coil)
Max SPL	118 dB - 124 dB Peak
Coverage	360° single unit
Power	300 W (400 W program)
Impedance	8Ω
Dimensions	268 x 641 x 304 mm (H x W x D)
Weight	10 Kg (22 lbs)

